

EC DECLARATION OF CONFORMITY



The undersigned, representing the following:

Gapro AB
Box 39
SE-372 21 Ronneby
Manufacturing plant: Kallinge

Herewith declares that the products **Gapro interior panels**

are in conformity with the provisions of the

89/106/EEC Construction Products Directive

when installed in accordance with the installation instructions contained in the product documentation and that the following standard has been applied:

EN 14915:2006 "Solid wood panelling and cladding – Characteristics, evaluation of conformity and marking".

Provisions to which the products conform:

Characteristic	Test standard	Performance declaration	Report reference
Reaction to fire	EN 13501-1	D-s2, d0 D-s2, d2 (8,5 & 9 mm)	EN 14915:2006, Table 1.
Emission of formaldehyde		E1	FD 080814
Water vapour permeability		NPD	
Sound absorption	EN 14915	0,10/0,30	
Thermal conductivity	EN 12524	Pine: 0,13 W/m K Spruce: 0,12 W/m K	
Biological durability	EN 350-2	Pine: Class 4 Spruce: Class 4	Classes provided for in standard.

Description of the product:

Panelling with or without surface coating, to be installed and used indoors. Following species and thicknesses apply:

Pine	8,5, 9, 12, 12,5, 13, 14, 15, 16 mm	Spruce	8,5, 9, 13, 14, 15, 16, 19, 22 mm
------	-------------------------------------	--------	-----------------------------------

Kallinge, 2008-09-22

Sigurd Andersson, production manager