

EC DECLARATION OF CONFORMITY



The undersigned, representing the following:

Gapro AB
Box 39
SE-372 21 Ronneby
Manufacturing plant: Ronneby

Herewith declares that the products **Gapro interior panels**

are in conformity with the provisions of the

89/106/EEC Construction Products Directive

when installed in accordance with the installation instructions contained in the product documentation and that the following standard has been applied:

EN 14915:2006 "Solid wood panelling and cladding – Characteristics, evaluation of conformity and marking".

Provisions to which the products conform:

Characteristic	Test standard	Performance declaration	Report reference
Reaction to fire	EN 13501-1	D-s2, d0	EN 14915:2006, Table 1.
Emission of formaldehyde		E1	FD 080814
Water vapour permeability		NPD	
Sound absorption	EN 14915	0,10/0,30	
Thermal conductivity	EN 12524	Pine: 0,13 W/m K Spruce: 0,12 W/m K Cherry: 0,15 W/m K	
Biological durability	EN 350-2	Pine: Class 4 Spruce: Class 4 Cherry: Class 5	Classes provided for in standard.

Description of the product:

Panelling with or without surface coating, to be installed and used indoors. Following species and thicknesses apply:

Pine	12, 13, 15 mm	Spruce	13, 15 mm	Cherry	12 mm
------	---------------	--------	-----------	--------	-------

Ronneby, 2008-09-22

Sigurd Andersson, production manager